

A50 AEGEAN FLYBRIDGE

Pricing effective on hulls 16 to 25 ex-factory 01/07/2010 to 31/03/2011

All prices In UK Pounds Sterling
and exclude VAT



BASEBOAT

£POA

LENGTH OVERALL	16.11 M	52.85 FT
HULL LENGTH ISO	15.73 M	51.61 FT
BEAM	5.20 M	17.06 FT
DRAFT	1.30 M	4.27 FT
DRY WEIGHT	22,000 KG	48,504 LBS
FUEL CAPACITY	2,600 L	687 US GAL
WATER CAPACITY	800 L	211 US GAL
HOLDING TANK CAPACITY	300 L	79 US GAL
SLEEPING CABINS	3	
SLEEPING CAPACITY	5	
ENGINES (STANDARD)	2 X CUMMINS QSC8.3 - 600MHP	
GENERATOR	17.5 KW	

A50 AEGEAN FLYBRIDGE

Pricing effective on hulls 16 to 25 ex-factory 01/07/2010 to 31/03/2011

All Prices In UK Pounds Sterling and exclude VAT

Client: _____

Boat #: _____

Address: _____

Date: _____

Sales Agent: _____

BASE BOAT – A50 AEGEAN FLYBRIDGE – STANDARD ENGINES: TWIN CUMMINS QSC8.3 - 600MHP **NET OPTION****ENGINE OPTIONS**

- Volvo D11 - 670MHP
- Cummins QSM11 - 715MHP
- Caterpillar C12 - 715MHP

INTERIOR DECOR

- Standard Timber: Teak / Goss - Classic Round Edge
- Option – Teak / Satin
- Option – Myrtle / Goss
- Option – Contemporary Square Edge

- Standard Leather: Suave Blanco
- Leather Option – Suave Nougat
- Leather Option – Suave Mink
- Leather Option – Suave Cocoa
- Leather Option – Suave Black
- Leather Option – Custom Selection (please specify)

- Standard Carpet: Sanibel Sugarcane
- Carpet Option – Sanibel Yearling
- Carpet Option – Sanibel Side Saddle
- Carpet Option – Custom Selection (please specify)

- Standard Blinds: Serengeti Llama
- Blinds Option – Serengeti Alpaca
- Blinds Option – Custom Selection (please specify)

AIR CONDITIONING

- Tropical air conditioning upgrade from 46,000 BTU to 64,000 BTU
- Bathrooms – air conditioning

HELM

- Muir chain counter readout only - round style
- Fuel gauge to helm station

STERN THRUSTER**2 Year Warranty – 5 Year Structural**

Maritimo Sales (QLD) Pty Ltd reserves the right to change these specifications without notice subject to currency exchange rates and product availability.
Maritimo Sales (QLD) Pty Ltd will not be liable (in contract, tort or otherwise) for any loss resulting from the inaccuracy of any information contained in this document.

- Stem thruster with controls to helm station (including the standard remote control)

ENGINE CONTROLS

- Engine controls to cockpit port side

COVERS

- Windscreen cover – Breezeway Black
- Window covers saloon sides – Breezeway Black
- Carpet cover to main saloon upper level – Sunbrella Linen
- Carpet cover to main saloon lower level (entry) – Sunbrella Linen
- Flybridge Bimini top - Black Breezeway
- Helm chair & dash cover

FORWARD DECK

- Sunpad to forward deck – Sunbrella Linen with s/s rail (with storage bag)
- Chain extra 20m (standard: 60m Grade "L")

COCKPIT, FLYBRIDGE & PLATFORM

- Cockpit teak table including cover on fixed pedestal
- Teak laid decking to cockpit & swim platform
- Aft cockpit lounge Sunbrella upholstered cushions, entertainment module including sink and eutectic freezer built in with gas strut on lid and provision for optional BBQ accessed from platform.
- BBQ stainless steel 240 volt
- Cockpit floodlights x 2 - mounted to aft end of hardtop
- Bar fridge to cockpit port side locker
- Ice maker to cockpit starboard side locker
- High pressure water blaster pre-plumbed in/out with outlets in cockpit and anchor well
- High pressure water blaster hand-held

SALOON & GALLEY

Water gauge to galley	<input type="checkbox"/>
Timber floor varnished satin to saloon	<input type="checkbox"/>
Timber floor varnished satin to galley	<input type="checkbox"/>
Saloon side windows opening	<input type="checkbox"/>

CABIN OPTIONS

Opening port lights – master cabin – 1 x aft & 1 x fwd of fixed port light on portside	<input type="checkbox"/>
Opening port light – starboard cabin x 1	<input type="checkbox"/>

WATERMAKER OPTIONS

Preparation for future watermaker installation inc. skin fittings – shelf & power	<input type="checkbox"/>
Watermaker – Idromar IDROMC2JV-130 litres/hour in stainless steel	<input type="checkbox"/>

DECOR PACKAGES

Includessaloon scatter cushions, fitted bedspreads, sheets, pillowcasesand pillows- 5 sleeper	<input type="checkbox"/>
---	--------------------------

ELECTRONICS

Smrad NSE Package: 3 xNSE 12" Screens, GS15 GPS Antenna, BS M-1 Sounder, B258 Transducer, BR24 Broadband Radar	<input type="checkbox"/>
Raymarine – E120W Package: 3 x E120W 12" Screens, 125 GPS, DSM 300, B258 Transducer, 48nm Radar	<input type="checkbox"/>

ENTERTAINMENT

Saloon Television – 32" LCD TV on pop up actuator on stbd side of saloon	<input type="checkbox"/>
Master Stateroom Television – 22" LCD TV with built in DVD player	<input type="checkbox"/>
Forward Stateroom Television – 22" LCD TV with built in DVD player	<input type="checkbox"/>
Lifestyle V25 Home Entertainment System	<input type="checkbox"/>
Lifestyle T20 Home Theatre System	<input type="checkbox"/>
Cockpit Speakers – Bose Zone 131 Marine Speakers including amp and remote	<input type="checkbox"/>
Flybridge Speakers – Bose Zone 131 Marine Speakers including amp and remote	<input type="checkbox"/>
Saloon Fusion Sound System DVD/CD/AM/FM with Ipod dock, active subwoofer and cube speakers	<input type="checkbox"/>

Cockpit - Fusion marine speakers& remote	<input type="checkbox"/>
Flybridge - Fusion marine speakers, amp & remote	<input type="checkbox"/>
Master Cabin Fusion Sound System DVD/CD/AM/FM with Ipod dock and marine speakers	<input type="checkbox"/>
Satellite TV Dome – KVH M7 Satellite TV Antenna 60cm	<input type="checkbox"/>
Satellite TV Dome – KVH M5 Satellite TV Antenna 45cm	<input type="checkbox"/>
Satellite TV Dome – KVH M3 Satellite TV Antenna 30cm	<input type="checkbox"/>
Underwater LED Lights (Blue) x 4 aft facing	<input type="checkbox"/>

2 Year Warranty – 5 Year Structural

Maritimo Sales (QLD) Pty Ltd reserves the right to change these specifications without notice subject to currency exchange rates and product availability.
Maritimo Sales (QLD) Pty Ltd will not be liable (in contract, tort or otherwise) for any loss resulting from the inaccuracy of any information contained in this document.

SPECIFICATIONS

CONSTRUCTION

- z Variable dead rise deep V hull with moulded spray rails
- z Hull - solid fibreglass bottom with cored topsides
- z Main bulkheads free standing fibreglass
- z Deck & Wheelhouse – fibreglass with core
- z Water tight collision bulkhead
- z Tank – fuel Integral GRP – Meets CE requirements

ENGINEERING

- z Engines, primary – 2 x Cummins QSC8.3 - 600MHP with power steering pump fitted
- z Gears – ZF
- z Acoustic Insulation
- z Air conditioned all cabins reverse cycle
- z Ball valves and skin fittings 316 stainless steel below water line
- z Bilge pumps x 6 with high water alarm 5 x 2000 gph & 1 x 1,000 gph
- z Controls – single lever electronic single station
- z Checker plate floor between engines
- z Engine Instruments – electronic dual station
- z Engine bearers – moulded solid fibreglass
- z Flexible engine mounts
- z Engine exhaust risers and Aqua lift mufflers
- z Engine room air intake washable filters
- z Engine room lighting AC off inverter
- z Engine room fire system
- z External & internal strainers fitted to water intakes.
- z Fibreglass engine room liner
- z Fresh water pump with smart sensor
- z Fresh water tanks – 800 litres approx, and separate water filter for galley
- z Fresh water heater (AC only) – quick recovery
- z Fuel tank – 2600 litres approx GRP with sight gauge and emergency shut off at main entrance door
- z Toilet holding tank 300 litres approx
- z Fuel filters – Racor 1000 filter, 1 for each main engine. Generator fitted with Racor 500 filter
- z Fuel lines – approved rubber. All fittings swaged
- z Steering – hydraulic power steering. Tiller system with emergency locking pins

- z Shafts – 2 ¼” duplex – stainless steel
- z Shaft Seals – dripless
- z Rudder & struts - high tensile
- z Underwater Gear – Built to CE requirements.
- z Propellers computer machined Nbral 5 blade
- z Engine room access from saloon
- z Stairs to engine room
- z Trim tabs – electric hydraulic
- z Thruster – bow thruster incl. hand held remote

ELECTRICAL

- z Generator - 1 x 17.5 kw generator fitted with sound shield, exhaust to transom and 24 volt 40 amp charging alternator
- z Batteries - 4 x 210 amp engines, 4 x 210 amp house
- z Inverter supplies power points to galley x 1, bathrooms x 1 each and engine room lights
- z Battery Charging: Inverter charger 2 kw – 60 amp charger 1 x 24 volt 40 amp Genset alternator
- z Battery switching - normal running: dedicated engine batteries isolate each engine. Paralleling switches link systems for starting and charging
- z Bonding system – 1 x large anode. Tinned bonding wire to metalwork and heavy bonding between main engines and generator
- z Earthing - ELCB switch fitted to GPO circuits. Polarity warning device on shore power
- z Electrical panels - dedicated 24 volt panels for accommodation deck and flybridge. Load sharing 240 volt panels
- z Electrical wiring - tinned wiring where applicable coded and labelled. Wiring schematic supplied
- z Navigation lights - international code compliant CE
- z Solenoid pack for auto pilot

FLYBRIDGE

- z Flybridge with aft mounted targa arch and windscreen
- z Stainless steel rail including mid rail to rear of flybridge
- z Helm Station: fully equipped with power steering, engine controls, engine instrumentation, bow thruster control, trim tab controls, winch up/down controls, Simrad RS81 VHF 2nd station, autopilot repeater, compass and cover to helm seat
- z Helm seat single – Sunbrella upholstered
- z Large dinette / lounge area, Sunbrella upholstered port side of helm station

2 Year Warranty – 5 Year Structural

Maritimo Sales (QLD) Pty Ltd reserves the right to change these specifications without notice subject to currency exchange rates and product availability. Maritimo Sales (QLD) Pty Ltd will not be liable (in contract, tort or otherwise) for any loss resulting from the inaccuracy of any information contained in this document.

- z Access - starboard side ladder from saloon
- z Spotlight, remote controlled

MAIN DECK

- z Winch - reversible 24 volt heavy duty horizontal winch with foredeck and helm station controls, self stowing 30kg stainless steel anchor with CE compliant chain 10mm Grade L x 60 metres, heavy duty bow rollers self loading
- z Bow stowage locker with salt water deck/anchor wash with divider
- z Stainless steel cleats bow, spring & stern - total x 8
- z White PVC high-impact rubbing banding with stainless-steel insert
- z Electric horn
- z Spotlight on cabin top
- z Sullage pump out situated in cockpit
- z Fuel filler on side deck
- z Shore water fitting
- z Rails - stainless steel railings, bow rail. Grab rails where necessary
- z Finish - forward side decks, trunk cabin, platform, cockpit, cabin roof non-skid FRP - with steps
- z Hatches - 1 x 500mm and 2 x 450mm - bathroom hatches opaque
- z Port holes:
Master cabin - 1 x fixed port light
Forward cabin - 2 x fixed port lights
Starboard cabin - 1 x fixed port light

HELM

- z Fully equipped with steering, engine controls, engine instrumentation, windscreen wipers and washers x 4, Bow thruster control including remote, trim tab controls, winch up/down controls, Simrad AP28 autopilot, Simrad RS81 VHF radio, compass, spotlight control and windscreen air conditioning outlets. Stainless steel footrest and cup holder Navigation night light Oyster - Cantalupi x1
- z Individual helmsman deluxe seat - leather upholstered

GALLEY

- z 2 door refrigerator/freezer/icemaker
- z 4 burner cook top
- z Microwave
- z Dishwasher drawer
- z One bowl stainless sink & drainer with mixer tap
- z Rubbish receptacle

- z Drawers for plates, cutlery and pans etc
- z Corian "cameo white" galley bench top over sailed by timber servery
- z Access directly to cockpit via sliding doors
- z Overhead lighting

SALOON

- z Entertainment unit in polished timber & storage lockers
- z Polished timber, u-shaped dinette/lounge with leather upholstery and polished occasional folding dining table
- z Access - black aluminium framed sliding glass doors x 2 to cockpit
- z Lighting - 24 volt - flush mounted in headliner
- z Windows - toughened fixed glass forward, with tinted fixed toughened glass
- z Air conditioning - 12,000 BTU x 3
- z Blinds, to side windows
- z Overhead lighting
- z Carpet throughout

MASTER STATEROOM

- z Queen size island berth with a sprung mattress, bedside shelves x 2 and timber panelled bedhead
- z Overhead and bedhead lighting
- z Lockers either side
- z 1 x fixed port light
- z Air conditioning - 12,000 BTU
- z Carpet throughout
- z Master ensuite with tecma toilet fresh or salt water flush, vanity unit, mirror, separate shower with automatic pump. Lighting - hatch x 1 round opaque

FORWARD CABIN

- z Island berth with sprung mattress with leather upholstered bedhead and access to bow thruster beneath
- z Full height lockers port and starboard in polished timber
- z Hatch x 1 round including roller blind
- z 2 x fixed port lights
- z Overhead and bedhead lighting
- z Air conditioning - 12,000 BTU
- z Carpet throughout

2 Year Warranty - 5 Year Structural

Maritimo Sales (QLD) Pty Ltd reserves the right to change these specifications without notice subject to currency exchange rates and product availability. Maritimo Sales (QLD) Pty Ltd will not be liable (in contract, tort or otherwise) for any loss resulting from the inaccuracy of any information contained in this document.

A50 AEGEAN FLYBRIDGE

Pricing effective on hulls 16 to 25 ex-factory 01/07/2010 to 31/03/2011

All Prices In UK Pounds Sterling and
exclude VAT

- Guest bathroom with tecma toilet fresh or salt water flush, vanity unit, mirror, and shower with automatic pump.
Lighting. Hatch 1 x round opaque
- Air conditioning split from starboard cabin

STARBOARD CABIN

- Single bunk
- Overhead and bunk lighting
- 1 x fixed port light
- Combo washer and dryer
- Air conditioning split from forward cabin
- Carpet throughout

AFT COCKPIT DECK

- Transom
- Dinghy storage – access roof lifts by electric actuator
- Starboard drains to stern
- Overhead cockpit lighting, transom doors
- Foldaway swimming ladder
- Cockpit sole - 2 x hatches with gas strut for lazarette access
- Aft entertainment module with sink, eutectic freezer built in and provision for optional BBQ - access from cockpit - no aft cockpit lounge.
- Water - cockpit shower hot and cold
- Fresh water wash down in cockpit with hose
- Reverse water filler
- Shore power inlet x 2
- Optional BBQ

GENERAL

- 4 x docking lines
- 4 x large fenders
- 1 x Epirb
- 1 x set flares, life jackets & coastal safety gear
- 1 x boat hook
- 2 x shore power leads
- Owners manual
- Handheld fire extinguishers 1kg x 3

Maritimo (UK) Ltd

Unit 1, Church Close Industrial Estate,
Tudber, Sturminster Newton,
Dorset, DT10 1JH
UK

Tel +44 (0) 1258 822518
Fax +44 (0) 1258 820550
Mob: +44 (0) 7768 322261 (24 Hours)

email sales@maritimo.co.uk

2 Year Warranty – 5 Year Structural

Maritimo Sales (QLD) Pty Ltd reserves the right to change these specifications without notice subject to currency exchange rates and product availability.
Maritimo Sales (QLD) Pty Ltd will not be liable (in contract, tort or otherwise) for any loss resulting from the inaccuracy of any information contained in this document.

Prices quoted are ex-works Maritimo Brisbane factory. Shipping and Commissioning are extra.